



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •

Toll Free: 800-234-4880 • Fax: 262-547-3551

sales@wiscoalloys.com • www.wiscoalloys.com



420 Remnants

<u>Description</u>	<u>Length</u>	<u>Pieces</u>	<u>Weight #</u>
420 SS BAR A 02.50 X SOLID	2.00	1	3
420 SS BAR A 02.50 X SOLID	3.50	1	5
420 SS BAR A 02.50 X SOLID	5.50	1	8
420F SS NQT 02.50 X SOLID	4.12	1	6
420 SS BAR A 02.75 X SOLID	4.00	1	7
420 SS BAR A 02.75 X SOLID	4.25	1	8
420 SS BAR A 02.75 X SOLID	5.00	1	9
420 SS BAR A 02.75 X SOLID	7.75	1	14
420 SS BAR A 03.00 X SOLID	12.50	1	25
420 SS BAR A 03.50 X SOLID	13.75	1	38
420 SS BAR A 04.00 X SOLID	2.50	1	9
420 SS BAR A 04.50 X SOLID	3.00	1	15
420 SS QDT BAR 04.50 X SOLID	2.00	1	10
420 SS QDT BAR 04.50 X SOLID	2.25	1	12
420 SS QDT BAR 04.50 X SOLID	2.50	1	13
420 SS BAR A 05.00 X SOLID	5.87	1	34
420 SS BAR A 08.00 X SOLID	6.00	1	87
420 SS BAR A 08.50 X SOLID	14.75	1	247
CA40 SS 420 Q&T 02.75 X 01.50	3.25	1	4
CA40 SS 420 Q&T 03.00 X 01.43	2.25	1	3
CA40 SS 420 Q&T 03.00 X 01.43	5.25	1	8
CA40 SS 420 A 03.00 X 01.62	5.50	1	8
CA40 SS 420 Q&T 03.00 X 02.00	11.00	1	12
CA40F SS 420F A 03.00 X 01.50	8.00	1	12
CA40 SS 420 Q&T 3.25 X 1.75	2.50	1	4
CA40 SS 420 Q&T 03.50 X 01.50	3.25	1	7
CA40 SS 420 Q&T 03.50 X 01.50	3.25	1	7
CA40 SS 420 Q&T 03.50 X 01.50	5.00	1	11
CA40 SS 420 C 03.50 X 01.50	2.00	1	5
CA40 SS 420 Q&T 03.50 X 01.68	7.25	1	15
CA40 SS 420 Q&T 03.50 X 02.00	6.00	1	12
CA40 SS 420 Q&T 03.50 X 02.00	11.25	1	22
CA40 SS 420 Q&T 04.00 X 02.00	15.00	1	43
CA40F SS 420F A 04.00 X 02.50	3.50	1	8
CA40 SS 420 Q&T 04.00 X 02.75	7.00	1	13
CA40 SS 420 A 04.25 X 01.50	2.00	1	7
CA40 SS 420 Q&T 04.25 X 02.50	2.28	1	6
CA40 SS 420 Q&T 04.25 X 02.50	4.00	1	10
CA40 SS 420 Q&T 04.25 X 02.50	5.75	1	16



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •

Toll Free: 800-234-4880 • Fax: 262-547-3551

sales@wiscoalloys.com • www.wiscoalloys.com



CA40SS 420 Q&T 04.25 X 02.75	3.25	1	8
CA40 SS 420 Q&T 04.25 X 03.00	3.50	1	7
CA40 SS 420 Q&T 4.25 X 1.50	1.75	1	6
CA40C SS 420C QT 04.50 X 01.62	2.25	1	9
CA40 SS 420 A 04.50 X 01.75	5.00	1	19
CA40 SS 420 Q&T 04.50 X 02.00	1.50	1	5
CA40 SS 420 Q&T 04.50 X 02.00	2.75	1	10
CA40 SS 420 Q&T 04.50 X 02.00	3.00	1	11
CA40 SS 420 Q&T 04.50 X 02.00	4.00	1	14
CA40 SS 420 Q&T 04.50 X 02.00	7.25	5	131
CA40 SS 420 Q&T 04.50 X 02.00	7.25	1	26
CA40 SS 420 Q&T 04.50 X 02.00	7.25	1	26
CA40 SS 420 Q&T 04.50 X 02.00	7.50	1	27
CA40 SS 420 Q&T 04.50 X 02.00	7.50	1	27
CA40 SS 420 Q&T 04.50 X 02.00	7.50	1	27
CA40 SS 420 Q&T 04.50 X 02.00	7.75	1	28
CA40 SS 420 Q&T 04.50 X 02.00	8.50	1	31
CA40 SS 420 Q&T 04.50 X 02.00	8.63	2	62
CA40 SS 420 Q&T 04.50 X 02.00	11.00	1	40
CA40 SS 420 Q&T 04.50 X 02.18	2.50	1	9
CA40 SS 420 Q&T 4.50 X 2.75	3.75	1	11
CA40 SS 420 Q&T 04.50 X 03.00	9.00	1	23
CA40 SS 420 A 04.50 X 03.25	11.00	1	24
CA40 SS 420 Q&T 04.50 X 01.75	2.50	1	10
CA40 SS 420 Q&T 04.50 X 01.75	5.00	1	19
CA40 SS 420 Q&T 04.50 X 01.75	5.25	1	20
CA40 SS 420 Q&T 04.50 X 01.75	5.50	1	21
CA40 SS 420 Q&T 04.50 X 01.75	6.00	1	23
CA40 SS 420 TUBE 04.62 X 02.18	9.25	1	34
CA40 SS 420 04.62 X 02.25	9.50	1	35
CA40/420 XHW Q&T 05.00 X 02.00	2.50	1	12
CA40/420 XHW Q&T 05.00 X 02.00	3.50	1	16
CA40 SS 420 Q&T 05.00 X 02.50	6.00	1	25
CA40 SS 420 Q&T 05.00 X 02.75	2.25	1	9
CA40F SS 420F A 05.37 X 03.62	12.50	1	53
CA40 SS 420 Q&T 05.50 X 03.50	2.50	1	10
CA40 SS 420 Q&T 05.50 X 03.50	2.75	1	11
CA40F SS 420F 5.50 X 3.00	8.50	1	41
CA40 SS 420 Q&T 05.50 X 04.00	6.00	1	19
CA40 SS 420 Q&T 05.50 X 04.00	8.75	1	29
CA40 SS 420 Q&T 05.50 X 04.00	10.75	1	36
CA40 SS 420 Q&T 05.75 X 04.00	6.50	1	25



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •

Toll Free: 800-234-4880 • Fax: 262-547-3551

sales@wiscoalloys.com • www.wiscoalloys.com



CA40 SS 420 Q&T 06.00 X 03.25	2.25	1	13
CA40F SS 420F TUBE 06.00 X 03.75	3.50	1	18
CA40 SS 420 Q&T 06.25 X 02.50	6.75	1	50
CA40 SS 420 A 06.25 X 02.93	5.25	1	36
CA40 SS 420 Q&T 6.25 X 3.75	6.25	1	35
CA40 SS 420 Q&T 06.25 X 04.25	3.00	1	14
CA40 SS 420 Q&T 06.25 X 04.25	5.00	1	23
CA40 SS 420 Q&T 06.25 X 04.50	5.25	1	22
CA40F SS 420F 6.25 X 4.75	13.00	1	48
CA40 SS 420 Q&T 06.31 X 04.00	3.50	1	19
CA40 SS 420 Q&T 06.50 X 02.25	1.00	1	8
CA40 SS 420 Q&T 06.50 X 03.50	1.75	1	12
CA40 SS 420 Q&T 06.50 X 03.50	4.75	1	32
CA40F SS 420F 06.50 X 05.00	2.75	1	11
CA40 SS 420 A 06.62 X 03.50	7.50	1	53
CA40 SS 420 Q&T 06.75 X 02.25	3.50	1	32
CA40 SS 420 Q&T 06.75 X 03.18	7.50	1	59
CA40 SS 420 Q&T 06.75 X 04.50	4.25	1	25
CA40 SS 420 Q&T 06.75 X 04.50	9.25	1	55
CA40 SS 420 N&T 6.75 X 4.56	4.50	1	25
CA40 SS 420 N&T 6.75 X 4.56	11.25	1	62
CA40 SS 420 N&T 6.75 X 4.56	11.25	1	62
CA40 SS 420 N&T 6.75 X 4.56	11.25	1	62
CA40 SS 420 Q&T 07.00 X 04.37	3.25	1	22
CA40 SS 420 Q&T 07.00 X 04.50	6.25	1	40
CA40SS 420 Q&T 07.06 X 03.00	5.50	1	50
CA40 SS 420 A 07.12 X 02.87	2.25	1	22
CA40 SS 420 A 07.25 X 02.25	2.25	1	26
CA40 SS 420 Q&T 07.25 X 03.00	2.50	1	24
CA40 SS 420 Q&T 07.25 X 03.00	9.25	1	90
CA40 SS 420 Q&T 07.25 X 03.50	5.50	1	51
CA40 SS 420 Q&T 07.25 X 04.50	2.75	1	20
CA40F SS 420F 07.25 X 04.75	8.50	1	59
CA40 SS 420 A 07.25 X 05.75	10.00	1	43
CA40 SS 420 Q&T 07.37 X 04.62	1.75	1	13
DO NOT USE - WRONG SIZE	4.00	1	44
CA40 SS 420 Q&T 07.50 X 03.25	4.25	1	44
CA40 SS 420 Q&T 07.50 X 03.25	6.00	1	62
CA40 SS 420 Q&T 07.50 X 03.43	2.50	1	25
CA40 SS 420 Q&T 07.50 X 03.50	2.75	1	27
CA40 SS 420 Q&T 07.50 X 03.56	4.25	1	42
CA40 SS 420 C Q&T 7.50 X 4.75	2.75	2	42



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •

Toll Free: 800-234-4880 • Fax: 262-547-3551

sales@wiscoalloys.com • www.wiscoalloys.com



CA40 SS 420 C Q&T 7.50 X 4.75	3.00	1	23
CA40 SS 420 C Q&T 7.50 X 4.75	3.25	1	25
CA40 SS 420 C Q&T 7.50 X 4.75	6.50	1	50
CA40 SS 420 Q&T 07.50 X 05.75	13.50	1	73
CA40 SS 420 A 07.75 X 04.00	2.25	1	24
CA40F SS 420F 07.75 X 06.25	10.75	1	71
CA40 SS 420 A 07.75 X 06.50	14.00	1	59
CA40 SS 420 A 08.00 X 02.75	0.87	1	12
CA40 SS 420 A 08.00 X 02.75	1.12	1	15
CA40 SS 420 Q&T 08.00 X 03.25	6.00	1	72
CA40 SS 420 A 08.00 X 03.37	5.25	1	62
CA40 SS 420 Q&T 08.00 X 03.50	1.75	1	21
CA40 SS 420 Q&T 08.00 X 04.00	2.00	1	22
CA40 SS 420 Q&T 08.00 X 05.00	1.50	1	14
CA40 SS 420 Q&T 08.00 X 05.00	4.25	1	39
CA40 SS 420 Q&T 08.00 X 05.25	1.25	1	10
CA40 SS 420 Q&T 08.00 X 05.50	0.25	1	2
CA40 SS 420 Q&T 08.25 X 03.00	1.00	1	13
CA40 SS 420 Q&T 08.25 X 03.00	9.75	1	129
CA40 SS 420 A 08.25 X 03.62	2.50	1	37
CA40 SS 420 Q&T 08.25 X 05.43	1.50	1	13
CA40 SS 420 A 08.50 X 05.50	7.50	1	71
CA40 SS 420 Q&T 08.50 X 05.87	5.75	1	49
CA40 SS 420 Q&T 8.75 X 3.25	14.00	1	207
CA40F SS 420F 08.75 X 03.75	4.50	1	65
CA40F SS 420F A 08.75 X 04.19	7.50	1	99
420 SS DRILLED BAR 9.00 X 3.50	1.50	1	24
CA40F SS 420F A 09.00 X 04.25	2.25	1	34
CA40 SS 420 Q&T 9.00 X 4.25	8.12	1	114
CA40 SS 420 Q&T 09.00 X 05.50	3.50	1	40
CA40 SS 420 Q&T 09.00 X 05.50	3.50	1	40
CA40 SS 420 Q&T 09.00 X 05.50	6.25	1	71
CA40 SS 420 A 09.00 X 05.87	2.37	1	25
CA40F SS 420F 9.12 X 4.75	1.25	1	18
CA40F SS 420F 09.25 X 03.00	1.00	1	18
CA40 SS 420 Q&T 09.50 X 2.87	2.50	1	46
CA40 SS 420 Q&T 09.50 X 03.00	4.00	1	73
CA40 SS 420 Q&T 09.50 X 03.00	5.00	1	91
CA40 SS 420 Q&T 09.50 X 03.00	9.25	1	168
CA40 SS 420 A 09.50 X 03.00	1.00	1	19
CA40/420 HW Q&T 09.50 X 03.50	1.50	1	26
CA40F SS 420F TUBE 9.50 X 4.50	11.50	1	186



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •

Toll Free: 800-234-4880 • Fax: 262-547-3551

sales@wiscoalloys.com • www.wiscoalloys.com



CA40F 420F 09.50 X 05.62	2.50	1	35
CA40 SS 420 Q&T 09.50 X 06.25	10.50	1	127
CA40 SS 420 Q&T 9.75 X 3.50	3.00	1	56
CA40F SS 420F A 09.75 X 04.25	7.00	1	124
CA40 SS 420 Q&T 09.75 X 04.50	3.50	1	58
CA40SS 420 A 09.75 X 04.62	7.50	1	124
CA40 SS 420 Q&T 09.75 X 05.12	1.50	1	23
CA40 SS 420 Q&T 09.75 X 05.12	1.75	1	27
CA40 SS 420 Q&T 09.75 X 05.12	3.50	1	54
CA40 SS 420 Q&T 09.75 X 05.25	2.75	1	42
CA40F SS 420F A 09.87 X 04.62	1.50	1	27
CA40F SS 420F A 10.00 X 04.00	2.50	1	45
CA40 SS 420 A 10.00 X 05.00	1.50	1	25
CA40 SS 420 A 10.00 X 05.00	2.50	1	41
CA40 SS 420 A 10.00 X 05.00	4.50	2	148
CA40 SS 420 Q&T 10.25 X 05.00	11.00	1	197
CA40 SS 420 TUBE 10.25 X 05.50	3.25	1	58
CA40F 420 F 10.50 X 06.25	1.50	1	26
CA40 SS 420 Q&T 10.50 X 07.50	6.00	1	79
CA40 SS 420 A 10.50 X 08.00	4.50	1	48
CA40F SS 420F 10.75 X 3.43	2.75	1	66
CA40 SS 420 A 10.75 X 05.25	5.00	1	102
CA40 SS 420 Q&T 10.75 X 05.37	12.25	1	238
CA40 SS 420 Q&T 10.75 X 06.56	1.75	1	28
CA40 SS 420 Q&T 10.75 X 07.00	3.37	1	50
CA40F SS 420F 10.75 X 07.50	2.25	1	30
CA40 SS 420 A 11.00 X 06.00	0.75	1	18
CA40 SS 420 Q&T 11.00 X 7.50	3.00	1	47
CA40F SS 420F 11.00 X 08.25	2.50	1	31
CA40F SS 420F 11.00 X 08.25	3.25	1	42
CA40 SS 420 Q&T 11.25 X 7.00	1.25	1	22
CA40 SS 420 Q&T 11.37 X 06.00	14.50	1	313
CA40 SS 420C QT 11.37 X 08.12	1.75	1	25
CA40 SS 420C QT 11.37 X 08.12	4.75	1	68
CA40 SS 420 Q&T 11.50 X 03.50	2.00	1	55
CA40 SS 420 Q&T 11.50 X 05.12	3.00	1	71
CA40 SS 420 Q&T 11.50 X 05.87	3.25	1	71
CA40 SS 420 Q&T 11.50 X 07.50	11.50	1	194
CA40 SS 420 A 11.75 X 08.00	1.75	1	31
CA40F SS 420F 12.00 X 05.00	1.50	1	41
CA40 SS 420 Q&T 12.00 X 07.00	3.00	1	65
CA40 SS 420 Q&T 12.00 X 07.25	2.50	1	51



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •
Toll Free: 800-234-4880 • Fax: 262-547-3551



sales@wiscoalloys.com • www.wiscoalloys.com

CA40 SS 420 Q&T 12.00 X 08.00	5.50	1	99
CA40 SS 420 Q&T 12.12 X 07.00	4.50	1	99
CA40 SS 420 Q&T 12.18 X 08.25	2.00	1	37
CA40 420 SS Q&T 12.50 X 04.00	2.50	1	78
CA40 SS 420 A 12.50 X 06.00	14.00	1	377
CA40F SS 420F 12.50 X 06.00	1.25	1	34
CA40 SS 420 TUBE 12.50 X 06.00	2.75	1	74
CA40 SS 420 A TUBE 12.50 X 07.00	3.00	1	72
CA40 SS 420 Q&T 12.50 X 7.50	4.00	1	92
CA40 SS 420 Q&T 12.50 X 9.00	1.62	2	56
CA40 SS 420 Q&T 12.50 X 9.00	3.75	1	65
CA40 SS 420 Q&T 12.50 X 9.75	15.00	1	212
CA40 SS 420 A 13.00 X 08.25	2.50	1	61
CA40F SS 420F A 13.25 X 04.00	12.75	1	476
CA40 SS 420 Q&T 13.25 X 8.75	4.00	1	91
CA40 SS 420 Q&T 14.00 X 09.75	12.00	1	270
CA40 SS 420 Q&T 14.00 X 11.00	7.25	1	121
CA40 SS 420 Q&T 14.00 X 11.50	1.50	1	24
CA40 SS 420 Q&T TUBE 14.12 X 11.50	12.50	1	193
CA40F SS 420F 14.37 X 8.25	2.25	1	70
CA40 SS 420 Q&T 14.37 X 11.50	1.12	1	19
CA40 SS 420 Q&T 14.37 X 11.50	11.50	1	192
CA40 SS 420 Q&T 14.50 X 09.12	8.50	1	241
CA40 SS 420 Q&T 14.75 X 12.50	1.25	1	18
CA40 SS 420 Q&T 14.75 X 12.50	7.00	1	99
CA40F SS 420F 15.00 X 11.00	2.50	1	58
CA40F SS 420F 15.25 X 07.00	1.25	1	51
CA40 SS 420 A 15.25 X 08.00	7.75	1	292
CA40 SS 420 Q&T 15.25 X 12.75	1.50	1	24
CA40 SS 420 A 15.75 X 10.75	1.50	1	50
CA40 SS 420 A 15.75 X 10.75	1.75	1	58
CA40 SS 420 A 15.75 X 10.75	2.00	1	66
CA40 SS 420 Q&T 16.00 X 11.00	14.50	1	436
CA40 SS 420 Q&T 16.25 X 14.00	4.50	1	81
CA40 SS 420 A 17.62 X 15.00	1.75	1	38
CA40 SS 420 Q&T 18.00 X 12.75	8.25	1	298
CA40 SS 420 A 18.25 X 13.50	1.50	1	51
CA40F SS 420F 19.50 X 07.75	4.50	1	323
CA40 SS 420 19.50 X 08.00	3.37	1	258
CA40 SS 420 A 19.50 X 10.12	9.25	1	575
CA40 SS 420 A 20.50 X 18.00	3.00	1	66
CA40 SS 420 Q&T 22.00 X 16.00	3.25	1	226



Wisco Alloys, Inc.

1416 Poplar Drive, Unit C, Waukesha, WI 53188 • 262-547-9103 •

Toll Free: 800-234-4880 • Fax: 262-547-3551

sales@wiscoalloys.com • www.wiscoalloys.com

CA40SS 420 Q&T TUBE 22.00 X 18.50

3.00

1

95

